



Equal Angles

Section no	Weight (mm)	Sizes (mm)			Sizes (Inches)			Corner Radii		Max Temper	
		A	B	C	A	B	C	ext	int	6063	6005
1075	0.101	12.7	12.7	1.6	1/2	1/2	1/8	S	S	T6	T6
1272	0.19	12.7	12.7	3.2	1/2	1/2	1/8	S	S	T6	T6
1076	0.129	15.9	15.9	1.6	5/8	5/8	1/16	S	S	T6	T6
4455	0.22	15.9	15.9	3.2	5/8	5/8	1/8	S	S	T6	T6
11662	0.284	19	19	3				S	S	T6	T6
6787	0.127	19.05	19.05	1.25	3/4	3/4		S	S	T6	X
814	0.158	19.05	19.05	1.6	3/4	3/4	1/16	S	S	T6	T6
465	0.301	19.05	19.05	3.2	3/4	3/4	1/8	S	S	T6	T6
17043	0.206	20	20	2				S	S	T6	T6
11274	0.301	20	20	3				S	S	T6	T6
1077	0.192	22.2	22.2	1.6	7/8	7/8	1/16	S	S	T6	T6
1079	0.355	22.2	22.2	3.2	7/8	7/8	1/8	S	S	T6	T6
10028	0.322	25	25	2.5				S	S	T6	T6
9922	0.382	25	25	3				S	S	T6	T6
11663	0.212	25.4	25.4	1.59	1	1	1/16	S	S	T6	T6
1078	0.21	25.4	25.4	1.6	1	1	1/16	S	S	T6	T6
409	0.412	25.4	25.4	3.2	1	1	1/8	S	S	T6	T6
11664	0.594	25.4	25.4	4.76	1	1	3/16	S	S	T6	T6
3660	0.764	25.4	25.4	6.35	1	1	1/4	S	S	T6	T6
10360	0.314	30	30	2				S	S	T6	T6
9955	0.463	30	30	3				S	S	T6	T6
1886	0.266	31.75	31.75	1.6	1 1/4	1 1/4	1/16			T6	T6
11665	0	31.75	31.75	3.18	1 1/4	1 1/4	1/8	S	0.25	T6	T6
698	0.523	31.75	31.75	3.2	1 1/4	1 1/4	1/8	S	S	T6	T6
468	0.758	31.75	31.75	4.75	1 1/4	1 1/4	3/16	S	S	T6	T6
1259	0.984	31.75	31.75	6.35	1 1/4	1 1/4	1/4	S	S	T6	T6
11585	0.57	37	37	3				C H	CHE	T6	T6



Equal Angles

Section no	Weight (mm)	Sizes (mm)			Sizes (Inches)			Corner Radii		Max Temper	
		A	B	C	A	B	C	ext	int	6063	6005
11667	0.476	38	38	2.4				S	S	T6	T6
11668	0.593	38	38	3				S	S	T6	T6
11669	0.321	38.1	38.1	1.59	1 1/2	1 1/2	1/16	S	S	T6	T6
11444	0.376	38.1	38.1	1.59	1 1/2	1 1/2	1/16	S	S	T6	T5
1497	0.328	38.1	38.1	1.65	1 1/2	1 1/2	16swg	S	S	T6	T6
11553	0.632	38.1	38.1	3.2	1 1/2	1 1/2	1/8	S	S	T6	T6
1495	0.923	38.1	38.1	4.75	1 1/2	1 1/2	3/16	S	S	T6	T6
1258	1.202	38.1	38.1	6.35	1 1/2	1 1/2	1/14	S	S	T6	T6
11295	0.626	40	40	3				S	S	T6	T6
9956	0.824	40	40	4				S	S	T6	T6
11296	1.016	40	40	5				S	S	T6	T6
11369	1.377	43.5	43.5	6.3				0.5	S	T6	T6
11666	0.691	44	44	3				S	S	T6	T6
11357	1.365	45	45	6				0.75	0.75	T6	T6
11670	0.66	50	50	2.5				S	S	T6	T6
17000	0.789	50	50	3				S	S	T6	T6
10363	1.041	50	50	4				S	S	T6	T6
11671	1.287	50	50	5				S	S	T6	T6
12617	1.528	50	50	6				S	S	T6	T6
16638	1.995	50	50	8				S	S	T6	T6
1676	0.854	50.8	50.8	3.2	2	2	1/8	S	S	T6	T6
1181	1.247	50.8	50.8	4.75	2	2	3/16	S	S	T6	T6
1180	1.637	50.8	50.8	6.35	2	2	1/4	S	S	T6	T6
11672	0.805	51	51	3				S	S	T6	T6
11673	1.314	51	51	5				S	S	T6	T6
11489	1.067	63.5	63.5	3.18	2 1/2	2 1/2	1/8	0.4	0.4	T6	T6
1399	2.08	63.5	63.5	6.35	2 1/2	2 1/2	1/4	S	S	T6	T6
17001	2.341	75	75	6				S	S	T6	T6



Equal Angles

Section no	Weight (mm)	Sizes (mm)			Sizes (Inches)			Corner Radii		Max Temper	
		A	B	C	A	B	C	ext	int	6063	6005
17045	3.079	75	75	8				S	S	T6	T6
11298	3.794	75	75	10				S	S	T6	T6
6963	1.293	76.2	76.2	3.2	3	3	1/8	S	S	T6	T6
1285	2.515	76.2	76.2	6.35	3	3	1/4	S	S	T6	T6
16163	5.163	100	100	10				S	5	T6	T6
10205	3.388	101.6	101.6	6.35	4	4	1/4	S	S	T6	T6
11441	3.804	120	120	6				S	S	T6	T6
16161	7.892	150	150	10				7.5	S	T6	T6