



Equal Channels

Section no	Weight (mm)	Sizes (mm)				Radii			Max Temper	
		A	B	T1	T2	ext	int	ends	6063	6005
12882	0.255	10	15	7	1.5	S	S	S	T6	T6
11547	0.447	11	25	3	3	0.3	0.3	0.3	T6	T6
20663	0.141	12.25	9.1	2	2	S	S	F	T6	T6
14104	0.154	12.45	9.3	2.15	2.15	S	S	1	T6	T6
11674	0.128	12.7	12.7	1.33	1.33	S	0.25	S	T6	T6
5165	0.275	12.7	12.7	3.2	3.2	S	S	S	T6	T6
11676	0.379	12.7	25.4	2.38	2.38	S	S	S	T6	T6
1334	0.478	14.3	25.4	5.95	2.4	S	S	S	T6	T6
2506	0.19	15.85	15.85	1.6	1.6	S	S	S	T6	T6
11675	0.162	15.88	15.88	1.33	1.33	S	0.25	S	T6	T6
1983	0.355	15.9	15.9	3.2	3.2				T6	T6
21880	0.466	16	37	2	2	S	S	S	T6	T6
7412	0.331	19.05	12.7	3.2	3.2	S	S	S	T6	T6
2368	0.438	19.05	19.05	3.2	3.2	S	S	S	T6	T6
19815	0.642	19.35	19.35	5	5	2	0.25	S	T6	T6
17004	0.439	20	20	3	3	S	S	S	T6	T6
11435	0.344	20.5	33.5	1.5	1.5	0.5	0.5	0.5	T6	T6
11435	0.344	20.5	33.5	1.5	1.5	S	0.5	S	T6	T6
7072	0.526	22.2	22.2	3.2	3.2	S	S	S	T6	T6
11442	0.306	22.2	31.9	1.52	1.52	3.12	1.6	S	T6	T6
11502	0.143	22.8	8	1.5	1.5	1.5	S	S	T6	T6
22383	0.271	23.1	12	2.5	2.5	2.5	S	S	T6	T6
11319	0.43	24	16	3.2	3.2	S	S	S	T6	T6
11207	0.385	25	25	2	2	S	S	S	T6	T6
17003	0.561	25	25	3	3	S	S	S	T6	T6
3527	0.382	25.4	12.7	3.2	3.2				T6	T6
7425	0.496	25.4	19.05	3.2	3.2	S	S	S	T6	T6
5514	0.82	25.4	38.1	3.18	3.18	S	S	S	T6	T6
14721	0.394	25.7	25.5	2	2	S	1	S	T6	T6
680	0.629	28.6	25.4	3.2	3.2				T6	T6
11490	0.649	29	48	2	2	2	0.5	F	T6	T6
11490	0.649	29	48	2	2	2	0.5	FULL	T6	T5

Equal Channels



Section no	Weight (mm)	Sizes (mm)				Radii			Max Temper	
		A	B	T1	T2	ext	int	ends	6063	6005
11515	0.271	30	12	2		S	S	S	T6	T6
10030	0.683	30	30	3	3	S	S	S	T6	T6
11483	0.671	31	49	2	2	2	0.5	FULL	T6	T5
11483	0.671	31	49	2	2	2	0.5	F	T6	T6
4776	0.655	31.74	25.4	3.18	3.18	S	S	S	T6	T6
16921	0.157	31.75	3.97	1.59	1.59	S	S	S	T6	T6
2366	0.545	31.75	19.1	3.2	3.2	S	S	S	T6	T6
6940	0.77	31.75	31.75	3.2	3.2	S	S	S	T6	T6
11422	1.094	31.75	50.8	3.18	3.18	0.5	S	0.5	T6	T6
11428	1.199	32	75	2.5	2.5	S	0.4	S	T6	T6
11559	0.758	34	55	2	2	0.3	0.3	0.3	T6	T6
12424	1.645	34	55	4.5	4.5	S	S	S	T6	T6
11678	0.296	34.3	24	1.4	1.4	2	S	F	T6	T6
11442	0.306	34.95	22.23	1.52	1.52	3.12	1.6	S	T6	T6
15599	0.615	36.3	19.5	3.5	3.15	S	1	1.5	T6	T6
11318	0.352	37	16	2	2	S	S	S	T6	T6
15277	0.206	38	4	1.7	2.8	S	S	FULL	T6	T6
6934	0.715	38.1	25.4	3.2	3.2	S	S	S	T6	T6
11679	0.93	38.1	38.1	3.18	3.18	S	S	S	T6	T6
11680	1.352	38.1	38.1	4.76	4.76	S	S	S	T6	T6
11491	0.438	40	10	3	3	S	S	S	T6	T6
11491	0.438	40	10	3	3	0.5	0.5	0.5	T6	T6
15256	0.325	40	12	2	2	S	S	S	T6	T6
11434	0.35	44	20	1.6	1.6	S	S	S	T6	T6
11434	0.35	44	20	1.6	1.6	S	S	S	T6	T6
11317	1.558	45	40	5	5	S	S	S	T6	T6
21941	0.339	46	20	1.5	1.5	S	S	S	T6	T6
1047	0.589	46.43	24.6	2.4	2.4				T6	T6
11224	0.997	50	25	4	4	S	S	S	T6	T6
11309	1.897	50	50	5	5	S	S	S	T6	T6
2505	0.82	50.8	25.4	3.2	3.2	S	S	S	T6	T6
3682	1.967	50.8	38.1	6.35	6.35	S	S	S	T6	T6



Equal Channels

Section no	Weight (mm)	Sizes (mm)				Radii			Max Temper	
		A	B	T1	T2	ext	int	ends	6063	6005
7051	1.266	50.8	50.8	3.2	3.2	S	S	S	T6	T6
4300	2.408	50.8	50.8	6.35	6.35	S	S	S	T6	T6
12208	0.77	57.15	19.05	3.2	3.2	S	S	S	T6	T6
17047	1.762	60	40	5	5	S	S	S	T6	T6
18469	2.168	60	55	5	5	S	S	S	T6	T6
7062	0.935	63.5	25.4	3.2	3.2	S	S	S	T6	T6
21609	1.049	72	64	2	2	4	2	S	T6	T6
11355	0.764	75	35	2	2	S	S	S	T6	T6
1617	1.038	76.2	25.4	3.2	3.2	S	S	S	T6	T6
11334	1.266	76.2	38.1	3.2	3.2	S	S	S	T6	T6
7415	1.495	76.2	50.8	3.2	3.2	S	S	S	T6	T6
4502	2.842	76.2	50.8	6.35	6.35	S	S	S	T6	T6
11307	2.295	82.55	31.75	6.35	6.35	S	S	S	T6	T6
19899	1.301	88	39	3	3	S	1	1	T6	T6
1593	0.648	88.2	25.4	1.65	2.05	0.65	0.65	2.05	T6	T6
15736	2.379	92.4	33	6	6	S	S	S	T6	T6
9859	0.821	100	36	1.8	1.8	S	S	S	T6	T6
17046	1.864	100	40	4	4	S	S	S	T6	T6
6811	3.28	101.6	50.8	6.35	6.35	S	S	S	T6	T6
21829	3.057	120	40	6	6	S	S	S	T6	T6
11440	4.276	125	75	6	6	S	S	S	T6	T6
3063	4.187	127	50.8	6.35	7.9	S	9.15	S	T6	T6
11459	2.634	178	76	3	3	S	S	S	T6	T6