



# Rectangular Tube

Section no	Weight (mm)	Sizes (mm)			Sizes (Inches)			Corner Radii		Max Temper	
		A	B	Thickness	A	B	Thickness	ext	int	6063	6005
11576	0.19	12.7	12.7	1.63	1/2	1/2		1.5	S	T6	T6
12798	0.163	15	15	1				S	S	T6	T6
22230	0.45	16	16	3.2				0.5	1.6	T6	T6
11474	0.484	17	17	3.251			10SWG	S	S	T6	T6
11474	0.484	17	17	3.251				0.25	S	T5	T5
9191	0.285	19	19	1.5				0.5	0.5	T6	T6
11329	0.309	19.05	19.05	1.63				S	S	T6	T6
11265	0.22	20	10	1.5				S	S	T6	T6
11420	0.244	20	20	1.2				0.5	0.2	T6	X
11257	0.301	20	20	1.5				S	S	T6	T6
11326	0.39	20	20	2				S	S	T6	T6
7804	0.382	21.9	21.9	1.75				0.5	S	T6	T6
11615	0.444	25	20	2				0.25	S	T6	T6
22221	0.336	25	25	1.3				S	0.76	T6	X
11211	0.499	25	25	2				S	S	T6	T6
11322	0.491	25	25	2				2	S	T6	T6
11284	0.545	25	25	2.25				2	S	T6	T6
11616	0.299	25.4	12.7	1.58	1	0.5	1/16	S	S	T6	T6
7417	0.412	25.4	25.4	1.6	1	1	1/16	S	S	T6	T6
6152	0.77	25.4	25.4	3.18	1	1	1/8	S	S	T6	T6
11482	0.436	27.5	17.5	2				2	0.5	T6	T6
11482	0.436	27.5	17.5	2				2	0.5	T6	T6
11540	0.254	29.5	9.5	1.35				1.0	0.25	T6	T6
17030	0.333	29.5	14.5	1.5				S	S	T6	T6
11280	0.333	30	20	1.3				0.5	S	T6	T6
16641	0.607	30	30	2				S	S	T6	T6
8184	0.745	30.5	30.5	2.5				2.5	S	T6	T6
11378	0.455	31.75	31.75	1.38	1.25	1.25		S	0.25	T6	T6
11479	0.523	31.75	31.75	1.6	1 1/4	1 1/4		S	S	T6	T6
11479	0.523	31.75	31.75	1.6				S	S	T6	T5
7418	0.992	31.75	31.75	3.2	1.25	1.25	1/8	S	S	T6	T6
20959	0.466	33	22	1.8				5	3.2	T6	T6




# Rectangular Tube

Section no	Weight (mm)	Sizes (mm)			Sizes (Inches)			Corner Radii		Max Temper	
		A	B	Thickness	A	B	Thickness	ext	int	6063	6005
11391	0.369	34	15	1.5				1.5	0.25	T6	T6
11543	0.459	34.5	31.5	1.35				1.6	0.25	T6	T6
11541	0.463	38	28	1.35				0.25	0.25	T6	T6
11531	0.578	38	38	1.5				S	S	T6	T6
11631	1.207	38	38	3.2				S	S	T6	T6
9796	0.468	38.1	19.05	1.59	1.5	0.75	1/16	S	0.5	T6	T6
8298	0.523	38.1	25.4	1.6	1.5	1	1/16	S	S	T6	T6
11331	1.005	38.1	25.4	3.25				S	S	T6	T6
11330	0.645	38.1	38.1	1.63				S	S	T6	T6
5215	1.167	38.1	38.1	3.17	1.5	1.5	1/8	3.96	0.79	T6	T6
16859	0.539	39	31	1.5				1.5	S	T6	T6
11506	0.37	40	10	1.5				2.5	1.0	T6	T6
11380	0.423	40	12	1.6				S	0.25	T6	T6
11562	0.349	40	14	1.25				S	S	T6	T6
11390	0.414	40	14.5	1.5				1.5	0.25	T6	T6
16644	0.607	40	20	2				S	S	T6	T6
17709	0.599	40	20	2				2	0.5	T6	T6
11392	0.523	40	28	1.5				1.5	0.25	T6	T6
11503	0.714	40	30	2				1.0	0.5	T6	T6
11560	0.631	40	36	1.6				S	S	T6	T6
11617	0.932	40	38	2.4				3	0.6	T6	T6
11241	1.561	40	40					S	S	T6	T6
11456	0.805	40	40	2				3	1	T6	T5
11456	0.805	40	40	2				3	1	T6	T6
16643	0.824	40	40	2				S	S	T6	T6
17048	1.203	40	40	3				S	S	T6	T6
19833	0.661	40.05	25.05	2				S	S	T6	T6
11618	0.422	44	12	1.5				2	S	T6	T6
11619	0.56	44	29	1.5				2	0.5	T6	T6
11418	0.761	44	31	2				2	0.5	T6	T6
7419	1.431	44.45	44.45	3.18	1.75	1.75	1/8	S	S	T6	T6
11554	0.707	45	45	1.5				S	S	T6	T6




# Rectangular Tube

Section no	Weight (mm)	Sizes (mm)			Sizes (Inches)			Corner Radii		Max Temper	
		A	B	Thickness	A	B	Thickness	ext	int	6063	6005
11634	0.932	45	45	2				S	S	T6	T6
11633	1.152	45	45	2.5				S	S	T6	T6
11632	1.471	45	45	3.25				S	S	T6	T6
11567	1.028	46.5	46.5	2.25				6.0	3.75	T6	T6
11494	0.453	48	11	1.5				1	0.2	T6	T6
11493	0.534	48	21.5	1.5				1	0.2	T6	T6
11497	0.654	48	35.5	1.5				0.5	0.5	T6	T6
11544	0.722	49	49	1.4				S	0.3	T6	T6
11436	0.715	50	20	2				S	S	T6	T6
11436	0.715	50	20	2				0.4	S	T6	T6
11537	0.585	50	25	1.5				S	S	T6	T6
11301	1.122	50	25	3				S	S	T6	T6
11353	1.203	50	30	3				S	S	T6	T6
21730	1.336	50	40	3				1	1	T6	T6
11536	0.737	50	50	1.4				0.5	S	T6	T6
17670	1.041	50	50	2				S	S	T6	T6
11242	1.528	50	50	3				S	S	T6	T6
21111	1.995	50	50	4				S	S	T6	T6
2665	1.39	50.4	50.4	2.75				3.7	0.8	T6	T6
11469	1.794	50.8	25.4	5	2	1		0.75	0.75	T6	T6
7422	1.209	50.8	25.4	3.2	2	1	1/8	S	S	T6	T6
3339	1.272	50.8	25.4	3.25	2	1		1.55	4.75	T6	T6
11469	1.794	50.8	25.4	5				0.75	0.75	T6	T6
7423	1.431	50.8	38.1	3.2	2	1.5	1/8	S	S	T6	T6
11638	0.816	50.8	50.8	1.55	2	2		2.38	0.79	T6	T6
11637	0.838	50.8	50.8	1.57	2	2		S	S	T6	T6
7420	0.854	50.8	50.8	1.6	2	2	1/16	S	S	T6	T6
11635	0.869	50.8	50.8	1.63	2	2		S	S	T6	T6
11358	1.308	50.8	50.8	2.5				1	1	T6	T6
11636	1.642	50.8	50.8	3.18	2	2	1/8	S	S	T6	T6
7421	1.65	50.8	50.8	3.2	2	2	1/8	S	S	T6	T6
14969	0.52	51	12.3	1.6				S	S	T6	T6




# Rectangular Tube

Section no	Weight (mm)	Sizes (mm)			Sizes (Inches)			Corner Radii		Max Temper	
		A	B	Thickness	A	B	Thickness	ext	int	6063	6005
11620	0.928	51	22.5	2.5				0.25	0.25	T6	T6
11639	0.87	55	55	1.5				S	S	T6	T6
3508	0.67	55.55	22.2	1.8				6.35	4.55	T6	T6
11549	0.851	57.5	57.5	1.4				0.5	0.5	T6	T6
13178	0.759	57.55	24.4	1.8				9.8	8	T6	T6
11411	0.625	60	20	1.5				0.5	S	T6	T6
11437	1.365	60	30	3				0.4	S	T6	T6
11437	1.365	60	30	3				S	S	T6	T6
11486	1.287	60	40	2.5				S	0.4	T6	T6
11486	1.287	60	40	2.5						T6	T6
21729	1.528	60	40	3				1	1	T6	T6
16089	1.528	60	40	3				S	S	T6	T6
11480	1.013	60	60	1.6				0.5	0.5	T6	T6
11480	1.013	60	60	1.6				S	0.5	T6	T5
11253	1.257	60	60	2				S	S	T6	T6
17049	2.428	60	60	4				S	S	T6	T6
12989	2.981	60	60	5				S	S	T6	T6
7894	1.864	60.35	60.35	3				S	S	T6	T6
STU07001	1.474	70	70	2				0.5	S	T6	T6
STU07201	1.293	72	72	1.7				1	S	T6	T6
11621	1.041	75	25	2				S		T6	T6
16751	1.583	75	75	2				S	S	T6	T6
11487	1.642	76.2	25.4	3.18	3	1	1/8	0.4	0.4	T6	T6
11551	2.03	76.2	25.4	4	3	1		0.7	0.3	T6	T6
11622	1.329	76.2	25.4	2.54	3	1		S	S	T6	T6
11487	1.642	76.2	25.4	3.18	3	1	1/8	S	0.4	T6	T6
11332	1.675	76.2	25.4	3.25				S	S	T6	T6
11333	1.9	76.2	38.1	3.25				S	S	T6	T6
11538	3.934	76.2	50.8	6.35				1.0	1.0	T6	T6
11623	2.079	76.2	50.8	3.18	3	2	1/8	S	S	T6	T6
4814	2.068	76.2	50.8	3.18	3	2	1/8	2.35	1.55	T6	T6
11320	1.274	76.2	76.2	1.63				6.5	4.87	T6	T6



# Rectangular Tube

Section no	Weight (mm)	Sizes (mm)			Sizes (Inches)			Corner Radii		Max Temper	
		A	B	Thickness	A	B	Thickness	ext	int	6063	6005
11488	2.517	76.2	76.2	3.18	3	3	1/8	0.4	0.4	T6	T6
21724	2.39	78	75	3				1	1	T6	T6
11250	1.257	80	40	2				S	S	T6	T6
11266	1.854	80	40	3				S	S	T6	T6
11258	2.428	80	40	4				S	S	T6	T6
11287	2.645	80	50	4				0.2	S	T6	T6
11539	4.046	80	80	5				3.0	1.0	T6	T6
11439	1.257	85	35	2				0.5	S	T6	T6
1439	1.255	85	35	2				0.5	0.5	T6	T6
17603	2.618	85	60	3.5				S	S	T6	T6
11624	1.266	90	30	2.03				2	S	T6	T6
11625	1.312	100	25	2				S	S	T6	T6
11324	2.179	100	40	3				S	S	T6	T6
RTU10213	1.528	100	45	2				S	S	T6	T6
11627	1.897	100	45	2.5				S	S	T6	T6
10841	2.228	100	45	2.85				S	S	T6	T6
11251	1.583	100	50	2				S	S	T6	T6
11302	3.079	100	50	4				S	S	T6	T6
16750	2.125	100	100	2				0.5	S	T6	T6
11248	3.154	100	100	3				s	s	T6	T6
3140	1.343	101.6	25.4	2.05	4	1		0.8	0.5	T6	T6
9065	2.092	101.6	25.4	3.18	4	1	1/8	S	S	T6	T6
11628	1.941	101.6	44.45	2.54	4	1.75		S	S	T6	T6
4310	2.411	101.6	44.45	3.2	4	1.75	1/8	S	S	T6	T6
11629	2.517	101.6	50.8	3.18	4	2	1/8	S	S	T6	T6
9064	2.531	101.6	50.8	3.2	4	2	1/8	S	S	T6	T6
RTU10202	1.924	102	45	2.5				S	S	T6	T6
RTU10201	2.475	102	45	3.25				S	S	T6	T6
11532	2.323	110	110	2				3	1	T6	T6
16154	1.908	120	60	2				S	S	T6	T6
16153	2.125	120	80	2				S	S	T6	T6
11630	2.504	135	25	3				S	S	T6	T6



# Rectangular Tube

Section no	Weight (mm)	Sizes (mm)			Sizes (Inches)			Corner Radii		Max Temper	
		A	B	Thickness	A	B	Thickness	ext	int	6063	6005
11557	3.154	150	50	3				0.5	0.5	T6	T6
11533	3.294	150	100	2.5				3.5	1	T6	T6
11527	4.13	150	110	3				0.5	0.5	T6	T6
15377	3.42	152.8	50.8	3.2	6	2	1/8	S	S	T6	T6
11402	2.669	155	15	3				S	1.0	T6	T6
18065	3.967	175	75	3				S	S	T6	T6