



Unequal Angles

Section no	Weight (mm)	Sizes (mm)			Sizes (Inches)			Corner Radii		Max Temper	
		A	B	C	A	B	C	ext	int	6063	6005
6772	0.117	15.9	4.75	2.4	5/8			1.2/	S	T6	T6
3159	0.129	19	12.7	1.55						T6	T6
3743	0.114	19.05	9.5	1.55	3/4			S	S	T6	T6
14796	0.117	20	10	1.5				S	S	T6	T6
11327	0.152	20	10	2				S	S	T6	T6
11467	0.157	24	6	2.5				S	S	T6	T6
11409	0.308	25	16	3				S	S	T6	T6
3225	0.156	25.4	12.7	1.55	1	1/2		S	S	T6	T6
2619	0.299	25.4	12.7	3.2	1	1/2	1/8	S	S	T6	T6
6773	0.253	25.4	15.9	2.4	1	5/8		S	S	T6	T6
2431	0.328	25.4	15.9	3.2	1	5/8	1/8	S	S	T6	T6
3335	0.354	25.4	19.05	3.2		3/4	1/8	S	S	T6	T6
11640	0.388	29.77	21	3				S	S	T6	T6
11641	0.157	30	10	1.5				S	S	T6	T6
13085	0.214	31.75	19.05	1.6	1 1/4	3/4	1/16	S	S	T6	T6
1536	0.409	31.75	19.05	3.2	1 1/4	3/4	1/8	S	S	T6	T6
4500	0.464	31.75	25.4	3.2	1 1/4	1	1/8			T6	T6
11410	0.439	32	25	3				S	S	T6	T6
11397	0.287	35	20	2				1/S	S	T6	T6
11367	0.409	35.5	27.4	2.5				S	S	T6	T6
21996	0.461	36	24	3				S/F	S	T6	T6
11642	0.488	38	25	3				S	S	T6	T6
3019	0.411	38.1	12.7	3.2	1 1/2	1/2	1/8	S	S	T6	T6
3735	0.238	38.1	19.05	1.55				S	S	T6	T6
2376	0.463	38.1	19.05	3.2	1 1/2	3/4	1/8	S	S	T6	T6
11643	0.492	38.1	22.22	3.18	1 1/2	7/8	1/8	S	S	T6	T6
6788	0.328	38.1	25.4	2.05	1 1/2	1	14swg	S	S	T6	T6
2339	0.519	38.1	25.4	3.2	1 1/2	1	1/8	S	S	T6	T6



Unequal Angles

Section no	Weight (mm)	Sizes (mm)			Sizes (Inches)			Corner Radii		Max Temper	
		A	B	C	A	B	C	ext	int	6063	6005
2407	0.756	38.1	25.4	4.75	1 1/2	1	3/16	S	S	T6	T6
11466	0.314	40	20	2				S	S	T6	T6
10361	0.314	40	20	2				S	S	T6	T6
11466	0.314	40	20	2				S	S	T6	T6
11315	0.301	40	25	1.75				S	S	T6	T6
10029	0.504	40	25	3				S	S	T6	T6
7474	0.439	40.65	25.4	2.55		1		S	S	T6	T6
11644	0.51	44	22	3				S	S	T6	T6
1311	0.519	44.45	19.05	3.2	1 3/4	3/4	1/8	S	S	T6	T6
12848	0.55	44.45	22.2	3.2	1 3/4	7/8	1/8	S	S	T6	T6
11448	0.356	44.45	22.23	2.03	1 3/4	7/8	14swg	S	S	T6	T6
11448	0.356	44.45	22.23	2.03				S	S	T6	T6
11431	0.299	50	25	1.5				S	S	T6	T6
11645	0.585	50	25	3				S	S	T6	T6
16757	0.382	50	40	1.6				S	S	T6	T6
11647	0.601	50.8	22.22	3.18	2	7/8	1/8	S	S	T6	T6
11646	0.629	50.8	25.4	3.18	2	1	1/8	S	S	T6	T6
2340	0.627	50.8	25.4	3.2	2	1	1/8	S	S	T6	T6
21744	0.626	50.8	25.4	3.2	2	1	1/8	S/F	S	T6	T6
2395	0.923	50.8	25.4	4.75	2	1	3/16	S	S	T6	T6
3393	1.203	50.8	25.4	6.35	2	1	1/4	S	S	T6	T6
11444	0.376	50.8	38.1	1.59	2	1 1/2	1/16	S	S	T6	T6
11444	0.376	50.8	38.1	1.59	2	1/12	1/16	S	S	T6	T6
2804	0.738	50.8	38.1	3.2	2	1 1/2	1/8	S	S	T6	T6
6838	1.425	50.8	38.1	6.35	2	1 1/2	1/4	S	S	T6	T6
21956	1.645	57	26	7.9				S	8	T6	T6
22318	0.312	58.25	20	1.5				S	S	T6	T6
11328	0.531	60	40	2				S	S	T6	T6



Unequal Angles

Section no	Weight (mm)	Sizes (mm)			Sizes (Inches)			Corner Radii		Max Temper	
		A	B	C	A	B	C	ext	int	6063	6005
11275	1.287	60	40	5				S	S	T6	T6
11336	0.743	63.5	25.4	3.2				S	S	T6	T6
11607	0.848	63.5	38.1	3.18	2 1/2	1 1/2	1/8	S	S	T6	T6
12531	0.938	63.5	50.8	3.2	2 1/2	2	1/8			T6	T6
5492	1.888	63.5	50.8	6.35	2 1/2	2	1/4	S	S	T6	T5
11429	0.992	75	50	3				S	S	T6	T6
11282	1.057	75	50	3.2				S	S	T6	T6
16639	2.537	75	50	8				S	S	T6	T6
11648	0.797	76	25	3				S	S	T6	T6
2944	0.847	76.2	25.4	3.2	3	1	1/8	S	S	T6	T6
3258	1.409	76.2	38.1	4.75	3	1.5	3/16	S	S	T6	T6
4426	1.86	76.2	38.1	6.35	3	1.5	1/4	S	S	T6	T6
11337	1.575	76.2	50.8	4.75	3	2	3/16	S	S	T6	T6
697	2.083	76.2	50.8	6.35	3	2	1/4	S	S	T6	T6
11406	1.558	90	30	5				S	S	T6	T6
11570	2.131	100	70	4.76				S	S	T6	T6
13767	1.073	101.6	25.4	3.2	4	1	1/8	S	S	T6	T6
10973	1.293	101.6	50.8	3.2	4	2	1/8	S	S	T6	T6
3105	2.513	101.6	50.8	6.35	4	2	1/4	S	S	T6	T6
12513	4.374	101.6	76.2	9.5				S	8.4	T6	T4
20371	1	120	30	2.5				S	S	T6	T6
16781	5.859	125	100	10				7.5	S	T6	T6